

Frame for 1 element graphite aluminium base Simon 82 Detail Select

REF. 8201610-240



BASIC INFORMATION

FINISH

Graphite/Aluminium

MATERIAL

Plastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING CONTENTS

Frame with 1 element

ETIM CLASS

EC000007

REMARKS

It is recommended to use the graphite finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053257395

UNITARY PACKAGING WEIGHT
UNIT

KGM

UNITS CONTAINED PACKAGING

5

UNITARY PACKAGING GROSS
WEIGHT

0.107

UNITARY PACKAGING WIDTH

0

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053114926

PACKAGING VOLUME

585900

UNITARY PACKAGING LENGTH

0

PACKAGING GROSS WEIGHT

0

PACKAGING VOLUME UNIT

MMQ

PRODUCT NET WEIGHT

0.107

PACKAGING HEIGHT

60

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING VOLUME

0

PACKAGING LENGTH

105

PACKAGING WIDTH

93

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING NET WEIGHT

0.535