

Flat voice and data plate with dust cover for 1 RJ45 Infra+® for 1 element graphite Simon 500 Cima

REF. 50015085-038



BASIC INFORMATION

DESCRIPTION

Voice and data flat plate with dust cover, in finish with graphite grey colour, this plate of the Simon 500 Cima series, of a single element, is available for an RJ45 connector Infra +. This is the individual version of a module, which can be adapted to 2 connectors. The voice and data plates Simon is perfect to be installed in an infinite number of spaces. They are recommended for use in study, companies, libraries or environments labor. For the correct installation in enclosures horizontal or vertical, the incorporate the snap-fit required. With measures of 50 x 50 x11 millimetres the Simon 500 Cima series offers enormously versatility in its placement. Also, the material of manufacture is thermoplastic, insulation, to ensure maximum security. In the case of any a fire, this material prevents the fire is propagate. The RJ45 connectors are not included in the plate of voice and data. Clean with a soft, dry cloth, avoiding cotton use aggressive cleaners that contain chemical.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

Infra+® RJ45 connectors.

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

Infra+® RJ45 connectors

SNAP-FIT TYPE

Infra+® RJ45 connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053096833

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.011

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.11

PRODUCT NET WEIGHT

0.011

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

