

Back kit for 3 elements with 2 Schuko socket outlets and 1 2xUSB 2.1A charger with smartcharge Simon 100

REF. 10010309-039



BASIC INFORMATION

COMPATIBILITY

Front Kit Simon 100

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000125

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

3 elements

TYPE OF MECHANISM

Insertion

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

FORMAT

Schuko,USB

MONOBLOCK

No

USB CURRENT (A)

2,1 A

INDICATOR FUNCTION

No

NOMINAL VOLTAGE (V~)

250 V~

USB VOLTAGE (V~)

5 Vdc

CURRENT (A)

16 A

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

CLAW

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Schuko: 1 click connection (1 click®)

TYPE OF TERMINAL CONNECTION - FUNCTION 2

USB: Screw

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053201336

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053201336

PACKAGING VOLUME

0

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

0

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

0

PACKAGING NET WEIGHT

0.317

UNITARY PACKAGING GROSS
WEIGHT

0.317

PACKAGING LENGTH

0

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.317