


TV socket single IEC male with trim plate black Simon K45

REF. K120A/14



BASIC INFORMATION

DESCRIPTION

The collection Simon K45 offers, in an original finishes in black, the single TV socket, male IEC with trim plate and insertion screw. This piece measures 45x45 mm, a thickness of 42,9 mm and is made of halogen-free metal components with self-extinguishing thermoplastic insulation to ensure that no notional can spread in case of fire, and a minimum toxicity of occur any smoke. Finally, do not forget to the maximum recommended length of cabling is 90 metres. In Simon we as a leading company thanks to our high commitment to offer quality and innovation in our products. For this reason, our Simon K45 series is one of the best on the market in terms of solutions of workplace solutions for your home, all under the support of a large company as well as our.

FINISH

Black

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-038)

PACKAGING CONTENTS

Single TV socket, male IEC

ETIM CLASS

EC000439

REMARKS

Maximum wire length recommended; 90 metres (RG-6 cable). For additional information, please read the product instruction sheet

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FORMAT

IEC

RAL

7021

CABLE SECTION ADMITTED (MM)

From 6 to 8 mm

IP RATING

IP20

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

CONNECTOR TYPE

TV

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VERSION

Single

NUMBER OF CONTACTS

1

NUMBER OF WIRES

1

NUMBER OF POSSIBLE ELEMENTS

1 item

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-038)

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 + A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.032

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

1472064

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8426436043770

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0.3

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.32

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

88

PACKAGING NET WEIGHT

0.32

UNITARY PACKAGING GROSS
WEIGHT

0.032

PACKAGING WIDTH

123

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

136