Quick aerial connector "Male" with 5 poles and housing for electric patch cord locking system graphite Simon Electric Wiring

REF. **CR5004/14**



BASIC INFORMATION

FINISH
Black

MATERIAL
Plastic

COMPATIBILITY
With the range of distribution boxes from Simon 400.

ETIM CLASS
EC002560

TECHNICAL INFORMATION

PROTECTION AGAINST DIRECT ACCESS OF CONTACTS
Yes

CONNECTOR TYPE
GST18

NUMBER OF CONTACTS
5

CURRENT (A)
16 A

IP RATING
IP20

NOMINAL VOLTAGE (V~)
250/400 V~

RAL
7021

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
7

REMOVAL OF CONNECTOR
Only with tool

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.039

PRODUCT NET WEIGHT
0.039

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436039834

UNITS CONTAINED PACKAGING
5

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.24

PACKAGING NET WEIGHT
0.195

PACKAGING WEIGHT UNIT
KGM