
# Single rocker with viewer and light symbol for push button ivory Simon 75

REF. **75016-31**



## BASIC INFORMATION

### DESCRIPTION

The individual rocker with viewer and light symbol for push-button switch Simon 75 has 6 different finishes, it is recommended to choose the frame with the same colour of the selected rocker. It can be installed in 2 different ways, surface mounting or flush mounting. The most common temperature ranges of the individual rocker with viewer and light symbol are 5 to 40º with a limit ranging from -25 to 50º. This type of rocker applies the regulation UNE-EN 60669-1:2002 + A1:2003 + A2:2009. The main manufacturing material is thermostable with a plastic ivory finish. The rocker with viewfinder and light symbol is of individual version, it also contains an element, but not modules. This model does not include the signaling function, in addition this model of blind cover includes the light type engraving. It is recommended for the correct maintenance of the rocker with viewfinder and engraving to use a soft cloth slightly moistened in soapy water to clean it properly.

### FINISH

Ivory

### MATERIAL

Thermostable

### PACKAGING CONTENTS

Single rocker and fastening bracket

### SYMBOL

Light

### COMPATIBILITY

Simon 75 and Simon 77 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

**INSTALLATION DIRECTION**
Horizontal, Vertical

**INSTALLATION TYPE**
Suitable for surface and flush mounting

## REGULATIONS

**REGULATIONS**
Directive 2014/35/UE LVD

## LOGISTICS INFORMATION

**UNITARY PACKAGING HEIGHT**
0

**UNITARY PACKAGING WIDTH**
0

**UNITARY PACKAGING LENGTH**
0

**UNITARY PACKAGING VOLUME**
0

**UNITARY PACKAGING GROSS WEIGHT**
0.025

**PRODUCT NET WEIGHT**
0.025

**UNITARY PACKAGING WEIGHT UNIT**
KGM

**PACKAGING EAN**
8421053013595

**UNITS CONTAINED PACKAGING**
20

**PACKAGING HEIGHT**
83

**PACKAGING WIDTH**
165

**PACKAGING LENGTH**
221

**PACKAGING MEASUREMENT UNIT**
MMT

**PACKAGING VOLUME**
3026595

**PACKAGING VOLUME UNIT**
MMQ

**PACKAGING GROSS WEIGHT**
0.49

**PACKAGING NET WEIGHT**
0.5

**PACKAGING WEIGHT UNIT**
KGM