

Flat voice and data plate with dust cover for 2 RJ45 Panduit® for 1 element graphite Simon 500 Cima

REF. 50019089-038



BASIC INFORMATION

DESCRIPTION

Flat base plate of the Simon 500 Cima series in graphite colour, it is a plate for and voice and data with dust cover for 2 Panduit ® RJ45 for 1 element and also with dust cover. Its fastening is simple, as the plate Simon 500 Cima incorporates the clips necessary to install the plate in both vertical and horizontal enclosures. Designed according to the regulation UNE-EN 60670-1: 2006, it has been manufactured with halogen-free thermoplastic material, a totally safe that will avoid the flame spread in case of fire and the high toxicity in case of fire and smoke, respectively. It measures 50 x 50 x 11 mm and its cleaning is quite simple, as you only need to use a soft, dry cloth, without having to use any abrasive cleaner with chlorine among its components, since the plate can be damaged and does not operate correctly.

FINISH

Graphite

PACKAGING CONTENTS

Flat voice and data plate with dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

DUST SHUTTER

Yes

NUMBER OF MODULES

1

AVAILABLE IN

Plate for 1 and 2 RJ45

FORMAT

RJ45

PLATE TYPE

Flat

COMPATIBLE WITH CONNECTORS

Panduit® Mini-Com Series.

IP RATING

IP20

RAL

7021

RJ45 CONNECTORS

Not included in voice and data plate

KIT AVAILABILITY

No

RJ45 ADAPTOR MODULE

Included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

SNAP-FIT RJ45 PLATES

RJ45 Panduit® connectors

SNAP-FIT TYPE

RJ45 Panduit® connectors

DUST PROTECTION

Yes

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.031

PACKAGING WIDTH

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

0

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053097175

PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME

0

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.031

PACKAGING HEIGHT

0

PACKAGING NET WEIGHT

0.31

PACKAGING WEIGHT UNIT

KGM

