

Spotlight 640.00 Rail NW Spot White

REF. 64000030-284



BASIC INFORMATION

DESCRIPTION

Power/Boost to the maximum the possibilities of lighting of any space with the spotlight 640 of Simon. For professional lighting, versatile and appropriate to each space, it also has the warranty offered by the LED lighting, no emission of IR or UV radiation, it to the spotlight 640 in the best option to light objects or sensitive products to the light. With Spot concentrate optics, for the light beam of the desired shape, it has a colour temperature of 4000 K for typology NW (white neutral), and a performance of 2600 lm, consumption of 33W and compatibility with power supplies 100-240 Volts and 50-60 Hz. It also with a service life of 30,000 hours at 25 ° C and can reach a maximum of 35 °C. Finished in white, includes system of switching on ON-OFF and is designed for installation in 3-phase rail to give freedom movement to the spotlight and adapt the lighting to all needs aesthetic and functional possible.

APPLICATION

Accent lighting, General lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DIRECTIONAL

Yes

LUMENS (LM)

2600 lm

IP RATING

IP20

DRIVER INCLUDED

Yes

LUMENS/W

2600 lm/30W

OPERATING TEMPERATURE RANGE (°C)

35 °C maximum

ELECTRICAL CLASS

Type 1

OPTICS

Spot

POWER SUPPLY (V~)

120/240 V~

L70 (°C)

100,000 h at 25 °C

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

COLOR TEMPERATURE (K)

4000 K

L90 (°C)

30,000 h at 25 °C

POWER (W)

30 W

CONTROL

On/Off

COLOR TYPE

NW

SERVICE LIFE

50.000 h

CRI

80

LIGHTING EFFICIENCY (LM/W)

87 lm/W

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

3-phase rail

REGULATIONS

WARRANTY

5 years 50,000 h

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053129616

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

1.574

PRODUCT NET WEIGHT

1.372

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053129616

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

238

PACKAGING WIDTH

180

PACKAGING LENGTH

133

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.057

PACKAGING VOLUME UNIT

HLT

PACKAGING GROSS WEIGHT

1.52

PACKAGING NET WEIGHT

1.372

PACKAGING WEIGHT UNIT

KGM