RJ12 telephone socket half element with 6 contacts ivory Simon 27 Play

REF. **27481-31**



BASIC INFORMATION

DESCRIPTION

Telephone socket is ivory in colour, half element and with 6 RJ12 pins, belonging to the Simon 27 Play series. Its clamping is screwed and works by insertion type and is a telephone socket is suitable for surface and flush mounting. It has half an element and 1 module and can be installed in rooms with a temperature located between 5 and 40ºC, although it is able to withstand extreme temperatures of -25 to 50ºC, approximately. It supports a wire cross-section of 0.3 to 0.5 mm and the stripping of 12 mm, it also complies with the regulation European TIA 568 C. 2 and is manufactured with metal components with halogen-free insulation and thermoplastic trim. It measures 22.5x45 mm and can be cleaned in a very simple way, using a soft cloth slightly moistened in soapy water, without having to use never abrasive cloths or cleaners containing chlorine.

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,3 to 0,5 mm

NUMBER OF CONNECTORS
1

CONNECTOR TYPE
RJ12

NUMBER OF CONTACTS
6

NUMBER OF POSSIBLE ELEMENTS
Half element

FORMAT
RJ

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Insertion

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

VERSION
Single

NUMBER OF WIRES
2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
12

CLAW
Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American, Small spaces and Centralisations

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053252246

UNITARY PACKAGING HEIGHT
27

UNITARY PACKAGING WIDTH
45.7

UNITARY PACKAGING LENGTH
45.7

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.056

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.019

PRODUCT NET WEIGHT
0.015

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053026977

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
52

PACKAGING WIDTH
105

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1201200

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.38

PACKAGING NET WEIGHT
0.3

PACKAGING WEIGHT UNIT
KGM