

Surface-mount wall box base for 2 double elements graphite Simon 500 Cima

REF. 51050002-038



BASIC INFORMATION

FINISH

Graphite

MATERIAL

Plastic

COMPATIBILITY

Simon 500 Cima and Simon 27
Play/Simon K45 mechanisms
using a specific adaptor

PACKAGING CONTENTS

Surface-mount box base, fixing
studs, screws, installation
manual

ETIM CLASS

EC002328

REMARKS

Alternatively, you can screw the frame holders into the box base if you need additional fastening.

TECHNICAL INFORMATION

AVAILABLE MARKET CE

AVAILABLE IN

2 and 3 double elements

NUMBER OF CLAMP-HOLDER HOLES

6

DIELECTRIC STRENGTH

No holes or contours, with 2000V at 50 Hz for 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

ELECTROMAGNETIC IMMUNITY FOR VDM WIRING

Secured by installing the metal partition wall in the housings fitted into the box for this purpose.

NUMBER OF ENCLOSURES FOR GROUND CONNECTION

1

HEAT RESISTANCE (°C)

+125°C (according rule IEC 60695-10-2)

IK CLASSIFICATION

07

INSULATION RESISTANCE (V-MΩ)

>5MΩ at 500V

IP RATING

IP4X

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

4

NUMBER OF PRE-PUNCHED HOLES 30 X 50 MM

0

NUMBER OF PRE-PUNCHED HOLES 40 X 80 MM

1

RAL

7021

NUMBER OF SIDE ENTRANCES

5

VERSION

2 double elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

TYPE OF FASTENING

Using the screws supplied

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Suitable for surface-mount wall installation

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60670-1:2005 + IEC 60884-1 Ed 3.2

LOGISTICS INFORMATION

UNITARY EAN CODE	UNITARY PACKAGING WEIGHT UNIT	PACKAGING MEASUREMENT UNIT
8421053101193	KGM	MMT
UNITARY PACKAGING HEIGHT	PACKAGING EAN	PACKAGING VOLUME
0	8421053101193	2.104
UNITARY PACKAGING WIDTH	UNITS CONTAINED PACKAGING	PACKAGING VOLUME UNIT
0	1	DMQ
UNITARY PACKAGING LENGTH	PACKAGING HEIGHT	PACKAGING GROSS WEIGHT
0	75	0
UNITARY PACKAGING VOLUME	PACKAGING WIDTH	PACKAGING NET WEIGHT
0	165	0.436
UNITARY PACKAGING GROSS WEIGHT	PACKAGING LENGTH	PACKAGING WEIGHT UNIT
0.436	170	KGM
PRODUCT NET WEIGHT		
0.436		

