

## Voice and data flat plate with dust cover for 1 element for 1 Nexans® RJ45 connector white Simon K45

REF. K85/9



## BASIC INFORMATION

### DESCRIPTION

Flat base plate for voice and data, has a dust shutter and is an element, for an RJ45 connector Nexans. The plate belongs to the series Simon K45 and has a perfect finish is white in colour and discreet. These plates for voice and data of Simon advocate for the maximum quality and versatility, it can be installed in a multitude of spaces. This plate Simon is the individual version of half an element and is available for both one as for two RJ45 connectors. Its exact dimensions are 45 x 45 millimetres, with a depth of 8.5 millimetres. It is manufactured from thermoplastic components halogen-free, which provides the product with a security extreme. To combine this flat base plate Simon in vertical enclosures, it is necessary to take the 90 ° positioner (reference: K66). In this way you will be able to guide the plate in vertical. A dry and soft cloth is only necessary to clean the product, always avoiding abrasive cleaning agents that contain chlorine or other type of chemical.

### FINISH

White

### COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

### PACKAGING CONTENTS

Flat voice and data plate with dust cover

### ETIM CLASS

EC000018

### REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90° positioner (ref. K66) to guide the plate into a vertical position.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### DUST SHUTTER

Yes

### NUMBER OF MODULES

Half

### AVAILABLE IN

Plate for 1 and 2 RJ45 connectors

### FORMAT

RJ45

### PLATE TYPE

Flat

### COMPATIBLE WITH CONNECTORS

Nexans® LANmark®-5 EVO, LANmark®-6 EVO.

### IP RATING

IP20

### RAL

9003

### KIT AVAILABILITY

No

### RJ45 ADAPTOR MODULE

Included in voice and data plate

### RJ45 CONNECTORS

Not included in voice and data plate

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### SNAP-FIT RJ45 PLATES

Nexans® RJ45 connectors

### MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

### SNAP-FIT TYPE

Nexans® RJ45 connectors

### DUST PROTECTION

Yes

### TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

### INSTALLATION DIRECTION

Vertical according to the direction of the mechanisms

### INSTALLATION TYPE

Suitable for surface and flush mounting

### REMOVAL OF THE PLATE

Only with tool

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018\*1

## LOGISTICS INFORMATION

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.013

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

911400

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8426436023628

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING VOLUME

0.3

### UNITS CONTAINED PACKAGING

20

### PACKAGING GROSS WEIGHT

0.22

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING HEIGHT

70

### PACKAGING NET WEIGHT

0.26

### UNITARY PACKAGING GROSS WEIGHT

0.013

### PACKAGING WIDTH

93

### PACKAGING WEIGHT UNIT

KGM

### PACKAGING LENGTH

140