

Push-button switch with light symbol 10A 250V~, built-in light and fast terminal connection system decorative brown Simon 31

REF. 31661-36



BASIC INFORMATION

DESCRIPTION

With finishes in an original tone, brown, the push-button switch with light symbol of the collection Simon 31 combines functionality, design and innovation to give your electrical mechanisms, the greater efficiency. With built in LED system and quick terminal connection, without the need to use additional tools, this push-button switch is integrated easy and fully in all types of spaces and environments. Compatible with a voltage of power of 250 Volts, 10 Amps and 16 AX of intensity, its signalling function has a consumption of 1 Milliampere/Milliampere (mA) and supports a wire cross-section of 1.5 to 2.5 mm and stripping of 11 mm wire To protect the room in case of fire, this push-button switch is made of metal components with halogen-free insulation and thermoplastic trim, and can reach maximum temperatures of -25 to 50 °C. In case of replacing the indicator light, Simon 31 recommended to combine it with which you will find in the reference 31802-31.

FINISH

Decorative brown

COMPATIBILITY

Simon 31 frames

PACKAGING CONTENTS

Mechanism with rocker

REMARKS

Can be combined with article 31802-31 if replacing the light indicator.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

INDICATOR FUNCTION

Yes

TYPE OF MECHANISM

Pivoting

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

NOMINAL VOLTAGE (V~)

250 V~

CONSUMPTION INDICATOR (mA)

1 mA

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.087

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053009994

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3026595

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.87

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.87

UNITARY PACKAGING GROSS

WEIGHT

0.087

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221