

## Single rocker with light symbol for push button champagne Simon 82

REF. 82018-34



## BASIC INFORMATION

### DESCRIPTION

Individual champagne rocker finish of the series Simon 82. This rocker, of a single element, it includes a stylish light engraving, so it is perfect to operate as push-button switch. The rockers of this series, you can find it in a total of six different finishes, so it is recommended to use a frame Simon in the same baseboard colour as the rocker to be installed. It measures 55 x55 millimetres and allows the installation of two shapes: Either on surface-mounted or embedded. thanks to the manufacturing materials used, the rocker with Simon withstands extreme temperatures (between -25 and + 50 degrees centigrade in total). It is also important to highlight the galvanized thermoplastic, used in the design of the lawyer rocker for the maximum security, as it is a material watertight to prevent the propagation of the fire. For optimum maintenance of the rockers, covers and plates of the Simon 82 series you just need to wipe them clean with a dry and soft cloth that does not contain abrasive chemicals.

### FINISH

Champagne

### MATERIAL

Plastic

### PACKAGING CONTENTS

Single rocker and fastening bracket

### SYMBOL

Light

### COMPATIBILITY

Simon 75 and Simon 77 mechanisms

### ETIM CLASS

EC000011

### REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### IP RATING

IP20

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### NUMBER OF POSSIBLE ELEMENTS

1 element

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### INDICATOR FUNCTION

No

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### INSTALLATION DIRECTION

Horizontal, Vertical

### INSTALLATION TYPE

Suitable for surface and flush mounting

## REGULATIONS

### REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053257517

### UNITARY PACKAGING GROSS WEIGHT

0.02

### PACKAGING LENGTH

90

### UNITARY PACKAGING HEIGHT

0

### PRODUCT NET WEIGHT

0.02

### PACKAGING MEASUREMENT UNIT

MMT

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING VOLUME

597780

### UNITARY PACKAGING LENGTH

0

### PACKAGING EAN

8421053052419

### PACKAGING VOLUME UNIT

MMQ

### UNITARY PACKAGING MEASUREMENT UNIT

MMT

### UNITS CONTAINED PACKAGING

5

### PACKAGING GROSS WEIGHT

0.1

### UNITARY PACKAGING VOLUME

0

### PACKAGING HEIGHT

81

### PACKAGING NET WEIGHT

0.1

### UNITARY PACKAGING VOLUME UNIT

MMQ

### PACKAGING WIDTH

82

### PACKAGING WEIGHT UNIT

KGM