

Signal light with E10 miniature screw champagne and diffuser cover red Simon 31

REF. 31810-34



BASIC INFORMATION

DESCRIPTION

Luminous signaler with E-10 mignonnette screw champagne pink in colour and red diffusive cover in colour belonging to the series Simon 31. This marker is fed via a power of 230 V and, for its use, it is recommended to use lamps 75802-39 (3 W - 230 V) or 75803-39 (3 W - 24 V) and supports a wire cross section of 1.5 to 2.5 mm and stripping of 11 mm with a With 1 element and 2 modules and can be position, place in places with a temperature of between 5 and 40°C, although it can withstand extreme temperatures of -25 to 50°C, approximately. This marker has dimensions of 64x65 mm and it is manufactured with metal components with halogen-free insulation and thermoplastic trim, metallised, and, its design complies with the regulations UNE -s 60598-2-2: 1997 + UNE EN 60061-1: 1996. To be able to clean this marker, just have to wipe it with a soft and dry cloth, without having to use never abrasive cloths or cleaners that contain chlorine in its formula.

FINISH

Champagne

COMPATIBILITY

Simon 31 frames

ETIM CLASS

EC000064

REMARKS

It is recommended to use lamps 75802-39 (3 W - 230 V) or 75803-39 (3 W - 24 V)

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

230 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

VERSION

Single

INDICATOR FUNCTION

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

11

INSTALLATION TYPE

Suitable for surface and flush mounting

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

UNE-EN 60598-2-2:1997 + UNE EN 60061-1:1996

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.091

PACKAGING MEASUREMENT

UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT

UNIT

KGM

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053009260

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

3026595

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.91

UNITARY PACKAGING VOLUME

UNIT

MMQ

PACKAGING HEIGHT

83

PACKAGING NET WEIGHT

0.91

UNITARY PACKAGING GROSS

WEIGHT

0.091

PACKAGING WIDTH

165

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

221