

## HDMI v1.4 connector for half element ivory Simon 27 Play

REF. 2701094-031



## BASIC INFORMATION

### DESCRIPTION

The Simon 27 Play series and has made it possible for us to personalize all the electrical mechanisms as the modules with frames, trims, covers and buttons are interchangeable. This way we can always achieve a customization according to our aesthetic tastes or the place where it is allowed to perform the installation of the mechanism, the HDMI Connector with a revision 1.4 Type A half-element ivory type A of the Simon 27 Play series is a good example of this. This connector (22.5x45 mm) has a female-female connection and an insertion type of operation, in addition to having a maximum recommended length of cabling of five metres for category 1 cables and twelve metres for category 2 cables. Its metal components with halogen-free insulation and thermoplastic trim are easy to clean to maintain the part as the first day, being a connector suitable for surface and flush mounting.

### FINISH

Ivory

### COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

### PACKAGING CONTENTS

HDMI connector and instruction sheet

### ETIM CLASS

EC000018

### REMARKS

Recommended maximum cable length: 5 metres for category 1 cables and 12 metres for category 2 cables. For more information see the product instruction sheet.

## TECHNICAL INFORMATION

### AVAILABLE MARKET

CE

### FORMAT

HDMI

### OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

### REVISION

1.4

### IP RATING

IP20

### STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

### NUMBER OF CONNECTORS

1

### MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

### CONNECTOR TYPE

HDMI

### TYPE

Type A

### NUMBER OF POSSIBLE ELEMENTS

Half element

### TYPE OF MECHANISM

Insertion

### VERSION

Single

## INSTALLATION AND MAINTENANCE

### CLAW

Simon 27

### INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and  
Centralisations

### INSTALLATION TYPE

Suitable for surface and flush  
mounting

### TYPE OF TERMINAL CONNECTION - FUNCTION 1

Female-female

## REGULATIONS

### REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

## LOGISTICS INFORMATION

### UNITARY EAN CODE

8421053090107

### UNITARY PACKAGING HEIGHT

0

### UNITARY PACKAGING WIDTH

0

### UNITARY PACKAGING LENGTH

0

### UNITARY PACKAGING VOLUME

0

### UNITARY PACKAGING GROSS WEIGHT

0.059

### PRODUCT NET WEIGHT

0.059

### UNITARY PACKAGING WEIGHT UNIT

KGM

### PACKAGING EAN

8421053090107

### UNITS CONTAINED PACKAGING

1

### PACKAGING HEIGHT

57

### PACKAGING WIDTH

76

### PACKAGING LENGTH

76

### PACKAGING MEASUREMENT UNIT

MMT

### PACKAGING VOLUME

0.329

### PACKAGING VOLUME UNIT

DMQ

### PACKAGING GROSS WEIGHT

0.059

### PACKAGING NET WEIGHT

0.059

### PACKAGING WEIGHT UNIT

KGM