

Front kit for 1 element with 1 Simon iO switch matt black Simon 100

REF. 10020112-238



BASIC INFORMATION

DESCRIPTION

Front kit designed to occupy 1 element with 1 switch with Simon iO system made in black with a matte finish. This product is part of the Simon 100 series.

The number of elements it occupies is 1. Its type of activation is push-button. Its type of emborning is by cut, the voltage capacity of this front kit for 1 element with 1 Simon iO switch will be 250V.

The installation of this device can be done in a universal type box. It can be placed both vertically and horizontally, adapting to all types of spaces and needs.

It is a standard product and its dimensions are 85.5x83.5mm. The content that comes with its packaging includes the mechanism and instructions that could be very useful in case there is any doubt about its installation.

The interval for the temperature of its correct operation is from 5°C to 40° C and this must have a temperature range for storage from -25° C to 50° C. For optimum maintenance, it is recommended to wet a cloth in soapy water, thus avoiding the use of abrasive cleaners.

FINISH

Matt black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

CURRENT (A)

10 AX

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Push button rocker switch/Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

1 click connection (1 click®)

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213216

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.064

PRODUCT NET WEIGHT

0.064

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053213216

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

10

PACKAGING WIDTH

84

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

70560

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.064

PACKAGING WEIGHT UNIT

KGM