

FRAME FOR 4 ELEMENTS ALUMINIUM SIMON 82 CONCEPT

REF. 8200647-093



BASIC INFORMATION

FINISH

Aluminium

MATERIAL

Thermoplastic

COMPATIBILITY

Simon 75, Simon 77 and Simon 82 mechanisms

PACKAGING

Flow pack

PACKAGING CONTENTS

Frame with 4 elements

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

AVAILABLE IN

1, 2, 3 and 4 elements

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INNER FRAME

Aluminium

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface or recessed mount

REGULATIONS

WARRANTY

3 years

REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053228272

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.05

PRODUCT NET WEIGHT

0.05

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053228272

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

13.5

PACKAGING WIDTH

97.5

PACKAGING LENGTH

311.5

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.41

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.05

PACKAGING WEIGHT UNIT

KGM