

Spotlight 740.00 Rail 4000K Wide Flood CR90 DALI White

REF. 74000330-494



BASIC INFORMATION

DESCRIPTION

The 740.00 Rail Spotlight 4000 K Wide Flood CR90 DALI White is a spotlight 740 of the range of Simon, which stands out, especially for the high colour temperature that you can achieve up to 4000 kelvin. This colour temperature means that the light white base is of type neutral, a type of light that is not warm stylish and attractive to light spaces very different from restaurants to commercial premises.

As has a type Wide Flood optics, the spotlight has an angle of opening the light beam of up to 47 degrees, which allows used for both lighting of character general and accent lighting to organise elements with the stream of light. This latter is very interesting in spaces, such as art galleries, museums, where each element, you need to be highlights and differentiated itself from the rest.

For this last also deserves worth highlighting the high colour rendering index that reaches this spotlight, with an index 90 about 100 that allows a quality lighting is required and very high. The system DALI appealing complete the qualities of this spotlight with your system of flexible and intelligent dimming for moderating light from spotlights.

APPLICATION

Accent lighting, General lighting

ETIM CLASS

EC001744

REMARKS

This version is only available on request. For information on terms please contact our commercial representatives.

TECHNICAL INFORMATION

IP RATING

IP20

COLOR TYPE

NW

OPTICS

Wide Flood

COLOR TEMPERATURE (K)

4000 K

LIGHTING EFFICIENCY (LM/W)

76 lm/W

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

CRI

90

LUMENS (LM)

2280 lm

POWER (W)

30 W

L70 (°C)

30,000 h at 25 °C

LUMENS/W

2280lm/30W

SERVICE LIFE

30 000 h

CHROMATICS CRI ICONS

CRI
90

INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Rail

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053215296

PACKAGING VOLUME
6412500

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
1

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
285

PACKAGING GROSS WEIGHT
1.2

UNITARY PACKAGING GROSS
WEIGHT
1.2

PACKAGING WIDTH
150

PACKAGING NET WEIGHT
1

PRODUCT NET WEIGHT
1

PACKAGING LENGTH
150

PACKAGING WEIGHT UNIT
KGM