

Spare part folding lid for IP66 watertight floor box with 1 Simon K45 mechanism

REF. KFS1001/74



BASIC INFORMATION

DESCRIPTION

Replacement cover for IP66 mechanism housing unit, designed as a substitute material since it does not include the mechanism housing unit. The purpose of this part is to secure the interior mechanisms, maintaining the connection between devices and preventing any manipulation. Additionally, it is made of high-quality stainless steel and features a black finish. The optimal quality of our products and our commitment to innovation endorse us as a leading company in the sector. Therefore, you will find the best mechanisms and solutions for your space in each of our series.

FINISH

Black

COMPATIBILITY

K45 Solutions

ETIM CLASS

EC002420

TECHNICAL INFORMATION

IP RATING

IP66

KIT AVAILABILITY

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+650 °C (according to standard IEC 60670)

REMOVAL OF THE FRAME

Only with tool

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60670-23:2008 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053380369

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.269

PRODUCT NET WEIGHT

0.25

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053380369

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

10

PACKAGING WIDTH

155

PACKAGING LENGTH

230

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

356500

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.269

PACKAGING NET WEIGHT

0.25

PACKAGING WEIGHT UNIT

KGM

