

Single TV socket for half element white Simon 27 Play

REF. 27475-34



BASIC INFORMATION

DESCRIPTION

Single TV socket, half element, finished in ivory colour and belonging to the Simon 27 Play series. Its clamping is by welding and works by insertion. This socket, it can be installed both in surface-mounted and recessed, so in rooms with a temperature of between 5 and 40°C, although it can withstand extreme temperatures of -25 to 50°C, approximately. Supports a cable section of 6 to 9.52 mm and the connection of the wire is made by welding. Complies with the standards EN 50083-2: 2012 + EN 50581: 2012 and is manufactured with metal components with halogen-free insulation and thermoplastic trim, which is a material very easy to clean, as you just need a soft cloth slightly moistened in soapy water, without resorting never with abrasive cleaners or cloths that contain chlorine, as they could damage it. It measures 22.5 x 45 mm

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Single TV socket

ETIM CLASS

EC000439

REMARKS

Cable connection by welding.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 6 to 9,52 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

TV

NUMBER OF CONTACTS

1

NUMBER OF POSSIBLE ELEMENTS

Half element

FORMAT

TV

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

NUMBER OF WIRES

1

INSTALLATION AND MAINTENANCE

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Welding

REGULATIONS

REGULATIONS

Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | EN 50083-2:2012 | EN 50083-2:2012 A1:2015 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252192

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.03

PRODUCT NET WEIGHT

0.03

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053036457

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

52

PACKAGING WIDTH

105

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1201200

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.6

PACKAGING NET WEIGHT

0.6

PACKAGING WEIGHT UNIT

KGM