


Dimmer switch 500W - 230V~ with screw connection ivory Simon 24 Harmonie

REF. 2410313-031



BASIC INFORMATION

FINISH

Ivory

PACKAGING CONTENTS

Mechanism and assembly

COMPATIBILITY

Simon 24 Harmonie frames

ETIM CLASS

EC000025

REMARKS

It is not possible to connect two electronic voltage regulators in the same circuit

TECHNICAL INFORMATION

AVAILABLE MARKET

CE, except for Spain, UK, Poland, Portugal, Andorra and Russia

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

NUMBER OF POSSIBLE ELEMENTS

1 element

CURRENT (A)

10 A

IP RATING

IP20

MAXIMUM POWER (W)

450

TYPE OF MECHANISM

Rotary

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

POWER SUPPLY (V~)

230 V~

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

6

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Flush-mounted or surface-mounted

CLAW

Included

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053189177

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.142

PRODUCT NET WEIGHT

0.142

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053348109

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

57

PACKAGING WIDTH

76

PACKAGING LENGTH

76

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

329232

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.142

PACKAGING WEIGHT UNIT

KGM