Spotlight DROP 3000 K Flood On Board Dimmer White

REF. **91892612-300**



BASIC INFORMATION

DESCRIPTION

Drop is playing with light, use the spotlights to win space and for greater functionality. But is also design and different lightning environments. This spotlight Drop has a colour temperature of 3000 K and a Flood optics 31°. Performance of lighting and 1450 lm, CRI > 90 and a lighting efficiency of up to 81 lm / W. Its dimensions are 55 () x145 mm One luminaire perfect for position, place suspended, in the wall or ceiling. Made of die-cast aluminium.

It is perfect for modular systems. AND is that it is possible to create unique atmospheres, customizable, full of charm and colour, forming secondary with other luminaires. Also, ideal for highlighting elements of the decoration that exist in the room.

Regarding control used On board dimmer for a user-friendly operation. We can guide the luminaire in all addresses (360 °). Finished simple but full of elegance, in white.

BODY MATERIAL

Die-cast aluminium

PACKAGING CONTENTS

1 Unit

APPLICATION

Domestic,Office,Retail,Hotel,Contract

ETIM CLASS

EC001744

TECHNICAL INFORMATION

IP RATING
IP20

OPERATING TEMPERATURE RANGE (°C)
0 - 35 °C

POWER SUPPLY (V~)
48 V~

RAL
9016

COLOR TEMPERATURE (K)
3000 K

CONTROL
On Board Dimmer

CRI
90

DIRECTIONAL
Yes

DRIVER INCLUDED
Yes

ELECTRICAL CLASS
III

ENERGY EFFICIENCY
A+

L70 (°C)
150000h at 25°C

L90 (°C)
40000h at 25°C

COLOR TYPE
NW

LIGHTING EFFICIENCY (LM/W)
hasta 81 lm/W

LUMENS (LM)
1360 lm

NUMBER OF LUMINAIRES
1

MACADAM STEPS
<3 Step MacAdam


OPTICS
Flood 31°

POWER (W)
19 W

CHROMATICS CRI ICONS

CRI
90

PHOTOMETRY ASSETS – POLAR



INSTALLATION AND MAINTENANCE

INSTALLATION TYPE

Suspended/Wall-mounted/Ceiling

REGULATIONS

EAC MARKED

No

ECORRAE MARKED

Yes

WARRANTY

5 years

LOGISTICS INFORMATION

UNITARY EAN CODE
8436547049738

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.795

PRODUCT NET WEIGHT
0.62

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8436547049738

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
83

PACKAGING WIDTH
180

PACKAGING LENGTH
298

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
4452120

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.68

PACKAGING NET WEIGHT
0.62

PACKAGING WEIGHT UNIT
KGM