

RJ12 telephone socket with 6 contacts grey Simon 27 Play

REF. 27481-37



BASIC INFORMATION

DESCRIPTION

In a telephone connection nothing can fail. Not in a home, not in a company. An interruption can give the treat a business or the transmission of a news item. For nothing to fail, many professionals and individuals already rely on the telephone socket with six pins for RJ12 format of the Simon 27 Play series, this phone jack is suitable for surface and flush mounting and is available in grey colour. Supports a wire cross-section of 0.3 to 0.5 mm, screw terminal connection, insertion functioning and it has a stripped wire 12 mm. You have been manufactured with metal components with halogen-free insulation and thermoplastic trim, high quality materials that are always used throughout the Simon 27 Play series, its dimensions are 45x45 mm and its price is unbeatable, so it is one of the most used telephone sockets in both public and private buildings.

FINISH

Grey

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 6 RJ12 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 0,3 to 0,5 mm

NUMBER OF CONNECTORS

1

CONNECTOR TYPE

RJ12

NUMBER OF CONTACTS

6

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

RJ

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Insertion

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

TYPE

Category 3

VERSION

Single

NUMBER OF WIRES

2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

CLAW

Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053252284

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.15

PRODUCT NET WEIGHT

0.15

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053071380

UNITS CONTAINED PACKAGING

5

PACKAGING HEIGHT

54

PACKAGING WIDTH

52

PACKAGING LENGTH

215

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

603720

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.75

PACKAGING NET WEIGHT

0.75

PACKAGING WEIGHT UNIT

KGM