

R-TV+SAT signal socket non-modular final Simon 75

REF. 75488-39



BASIC INFORMATION

DESCRIPTION

R-TV+SAT non-modular signal socket Simon 75, designed for the efficient distribution of radio, terrestrial television, and satellite signals as the final point in individual installations. A reliable solution for residential and professional environments that require transmission quality. Based on 9.5 mm Ø IEC connectors, with a screw terminal connection system and push-fit operation, it ensures a stable and secure connection. It supports coaxial cable from 6 to 8 mm with 7 mm stripping, facilitating a precise and professional installation. Manufactured with metallic components and halogen-free thermoplastic insulation, in accordance with UNE-EN 50083-2:2013 standards, it combines technical performance, durability, and an aesthetic integration consistent with compatible Simon series.

MATERIAL

Plastic,Metal

COMPATIBILITY

Marcos Simon 27 Play, Simon 27 Scudo, Simon 27, Simon 31, Simon 44 Aqua, Simon 75, Simon 82 Detail, Simon 82 Nature, Simon 82 Concept and Simon 82.

PACKAGING CONTENTS

R/TV socket and instruction sheet

ETIM CLASS

EC000439

REMARKS

Using IEC 9.5 mm connectors. Ø

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CABLE SECTION ADMITTED (MM)

From 6 to 8 mm

NUMBER OF CONNECTORS

2

CONNECTOR TYPE

IEC

NUMBER OF CONTACTS

2

NUMBER OF POSSIBLE ELEMENTS

1 element

FORMAT

R/TV,SAT

IP RATING

IP20

LINKABLE

No

TYPE OF MECHANISM

Multimedia

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

RECESS DIMENSION (MM)

35

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

Single

NUMBER OF WIRES

1

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

7

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Included

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REMOVAL OF COVER

Only with tool

REGULATIONS

REGULATIONS

UNE-EN 50083-2:2013

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053256312

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.101

PRODUCT NET WEIGHT

0.101

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053024980

UNITS CONTAINED PACKAGING

10

PACKAGING HEIGHT

82

PACKAGING WIDTH

165

PACKAGING LENGTH

221

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

2990130

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

1.105

PACKAGING NET WEIGHT

1.01

PACKAGING WEIGHT UNIT

KGM

● INTERMEDIA

75487-39
75467-69

○ FINAL

75488-39
75468-69

● UNICA

7500470-039
75486-39
75466-69

En Serie/Cascada




En Estrella




1



2



3



4



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet

