Single rocker with bell symbol for push button cold aluminium Simon 82 Detail

REF. **82017-93**

BASIC INFORMATION

FINISH
Aluminium

SYMBOL
Bell

MATERIAL
Plastic

COMPATIBILITY
Simon 75 and Simon 77 mechanisms

PACKAGING CONTENTS
Single rocker and fastening bracket

ETIM CLASS
EC000011

REMARKS
Available in 6 finishes. It is recommended to choose a frame with the same base colour as the selected rocker.

simon

TECHNICAL INFORMATION

NUMBER OF POSSIBLE ELEMENTS

1 item

INDICATOR FUNCTION

No

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (ºC)

5 - 40 ºC

STORAGE TEMPERATURE RANGE (ºC)

-25 - 50 ºC

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Vertical and horizontal

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

simon

simon

LOGISTICS INFORMATION

UNITARY PACKAGING GROSS WEIGHT
0.023

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING LENGTH
0

PRODUCT NET WEIGHT
0.023

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING WEIGHT UNIT
KGM

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053120477

PACKAGING GROSS WEIGHT
0.23

PACKAGING HEIGHT
81

PACKAGING LENGTH
223

PACKAGING NET WEIGHT
0.23

UNITS CONTAINED PACKAGING
10

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1517738

PACKAGING VOLUME UNIT
MMQ

PACKAGING WEIGHT UNIT
KGM

PACKAGING WIDTH
82