Voice and data angled plate without dust cover for 1 element for 1 SC duplex fibre optic connector white Simon K45

REF. **K74/9**



BASIC INFORMATION

DESCRIPTION

Plate of voice and data tilted plate without dust shutter. This plate Simon is a single element, for a connector of fiber optics SC duplex. It has a discreet finish is white in colour and belongs to the series Simon K45. Specifically is the individual version of half an element, the dimensions of the product are 45 x 45 millimetres, with a depth of 25 exact millimetres. To be able to combine the plate of voice and data Simon in vertical enclosures, such as columns and mini-columns, it is essential to use the 90 ° positioner Simon reference (K66). In this way it is possible to guide the plate into a vertical position. This plate Simon K45 is manufactured in a safe thermoplastic material, which has no free. Thanks to this type of components, Simon products support extreme temperatures, being the highest up to + 60 degrees centigrade. Are also versatile for up to its installation, as it can be installed both on the surface-mounted and flush mounted.

FINISH

White

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Angled voice and data plate without dust cover

ETIM CLASS

EC000018

REMARKS

When combining the voice and data plate in vertical housings (mini columns, columns, Teleblock, channels, mechanism holders, etc.) you must use the 90º positioner (ref. K66) to guide the plate into a vertical position.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (ºC)
+60º C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

TEMPERATURE RANGE DURING INSTALLATION (ºC)
-5 to 60º C

NUMBER OF MODULES
Half

PLATE TYPE
Angled

RAL
9003

RJ45 ADAPTOR MODULE
Direct snap-fit of the connector on the voice and data plate

SNAP-FIT RJ45 PLATES
SC duplex fibre-optic connectors

SNAP-FIT TYPE
SC duplex fibre-optic connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436025783

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
45570

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.01

PRODUCT NET WEIGHT
0.01

UNITARY PACKAGING WEIGHT UNIT
KGM

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
70

PACKAGING WIDTH
93

PACKAGING LENGTH
140

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
911400

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.2

PACKAGING NET WEIGHT
0.2

PACKAGING WEIGHT UNIT
KGM