

French socket outlet 16A 250V~ with safety device and screw terminal connection ivory Simon 27 Play

REF. 27458-32



BASIC INFORMATION

DESCRIPTION

The Simon 27 series in its range Play is one of the most outstanding features Simon series in terms of which is avant-garde, fun, very eye-catching and, with everything it brings, also very economic solution. Renew your vision on the electrical mechanisms of your home or workplace, since Simon 27 Play allows you to change the appearance of any room in a second, just with a click. On this occasion, we present you this French socket outlet (16 Amps and 250 Volt voltage), with safety device and screw terminal connection, with a beautiful design finished in ivory. It has 1 elements and 2 modules. The covers include, in this product, the child-protection function, to give a greater security to these mechanisms to the smallest of the house. Manufactured in the best materials that guarantee that extra security. Its measures are 45x45 mm. Compatible with all the ranges of the 27 series (also with the 44 Aqua).

FINISH

Ivory

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Socket outlet with cover

ETIM CLASS

EC000125

REMARKS

The covers include a child-proof protective feature.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

16 A

MONOBLOCK

No

CABLE SECTION ADMITTED (MM)

2,5 mm

IP RATING

IP20

NOMINAL VOLTAGE (V~)

250 V~

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

FORMAT

French

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

TYPE OF MECHANISM

Insertion

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | UNE 20315-1-1:2017 | IEC 60884-1 Ed 3.2 | UNE 20315-1-2:2017

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.054

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING VOLUME

1201200

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053024898

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

1201200

UNITS CONTAINED PACKAGING

10

PACKAGING GROSS WEIGHT

0.535

UNITARY PACKAGING VOLUME
UNIT

MMQ

PACKAGING HEIGHT

52

PACKAGING NET WEIGHT

0.54

UNITARY PACKAGING GROSS
WEIGHT

0.054

PACKAGING WIDTH

105

PACKAGING WEIGHT UNIT

KGM

PACKAGING LENGTH

220