

Frame support for 2 elements Simon 100

REF. 10000920-039



BASIC INFORMATION

DESCRIPTION

The functionality, innovation and design of the entire Simon 100 range are displayed on this 4-element frame support so that your electrical system has all the aesthetic and technical guarantees of Simon 100. Manufactured in painted steel for Minimalist finishes The Simon 100 frame holder takes a step forward and offers you a wide range of installation possibilities, being compatible with recessed mounting but can be prepared both vertically and horizontally. This comfort in the assembly makes it easy to integrate the whole into any type of space, adding a bonus of style, minimalist design and the greatest functionality and innovation of Simon 100.

MATERIAL

Steel

PACKAGING CONTENTS

Frame support 2 elements

COMPATIBILITY

Mechanisms Simon 100

ETIM CLASS

EC002948

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 75 °C

VERSION

2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-1:1999 + EN 60669-1:1999 A1:2002 + EN 60669-1:1999 A2:2008

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053138595

PACKAGING VOLUME
1042800

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
5

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
75

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.089

PACKAGING WIDTH
88

PACKAGING NET WEIGHT
0.445

PRODUCT NET WEIGHT
0.089

PACKAGING LENGTH
158

PACKAGING WEIGHT UNIT
KGM