

Ofiblock Line frame for 2 elements for recessing into furniture stainless steel Simon K45

REF. KSF132/8



BASIC INFORMATION

DESCRIPTION

Sophistication of the finishes in stainless steel, give the Simon K45 Ofiblock Line frame, the perfect design to adapt to the new decorative trends with a design discreet and stylish. Consists of 2 elements and is designed for flush installation in furniture for a complete integration of the set in any type of space compact. With a size of 76 x 166 x 58 mm, this frame can be installed in any furniture without claws, provided that it has a thickness of from 10 mm. This is manufactured with brushed effect stainless steel and can reach a temperature range of -5 more than 60 °C. Functionality, innovation and style in a reduced space thanks to the Ofiblock Line frame of the Simon K45 collection.

FINISH

Stainless steel

MATERIAL

Metal

COMPATIBILITY

Simon K45 Ofiblock Line aluminium profiles and Ofiblock Compact

PACKAGING CONTENTS

Ofiblock Line frame for recessing into furniture, and installation manual.

ETIM CLASS

EC002759

REMARKS

Installation of any furniture (without using claws) measuring 10 mm in thickness or above.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Available in 1, 2, 4 and 6 elements.

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

HEAT RESISTANCE (°C)

+125°C (according to standard IEC 60670)

INSULATION RESISTANCE (V-MΩ)

>5 MOhm at 500 V

IP RATING

IP4X

KIT AVAILABILITY

No

LINKABLE

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

NUMBER OF MODULES

2 modules

MONOBLOCK

No

RECESS DIMENSION (MM)

150 x 64 mm

VERSION

2 elements

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

EXTINGUISHING (°C)

+850 °C (according to standard IEC 60670)

TYPE OF FASTENING

Using side screws to fix the Ofiblock Line frame to the furniture. Alternatively, you can use the set of clamps (ref.KSF7) which does not require screwing the Ofiblock Line frame to the furniture.

REMOVAL OF THE FRAME

Only with tool

INSTALLATION DIRECTION

Horizontal.

INSTALLATION TYPE

Suitable for embedding in furniture.

SECURING POSSIBILITIES

Its design allows recessed integration in any type of furniture

MOUNTING WITHOUT ACCESSORIES

The mirror includes holes on the sides for attachment without needing accessories.

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 60670-1:2005

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053117804

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.25

PRODUCT NET WEIGHT

0.25

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053117804

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

75

PACKAGING WIDTH

100

PACKAGING LENGTH

170

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1275000

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.24

PACKAGING NET WEIGHT

0.25

PACKAGING WEIGHT UNIT

KGM