

Downlight 706.21 Flush mount NW Wide Flood White

REF. 70621030-484



BASIC INFORMATION

DESCRIPTION

With dimensions of 110 x 82 () mm, the Downlight 706.21 NW with Wide Flood optics stands out for the quality of the components with which its structure has been manufactured. Large spaces that acogen in its indoor activities with the participation of many people have opted for this element for the correct lighting for the same. The weight of the luminaire is 0.3 kg, which is suitable to be flush mounted, 0.3 kg, but not end here all the features of this downlight. Lumens watt 950 lm / 15 W, has a frequency of 50 / 60 Hz and has a detailed power 100-240 is another of the most outstanding. This element has a electrical control of the type ON-OFF. Its avant-garde design allows it to be installed in spaces with both classic and modern decorations, passing to be a part of the same.

APPLICATION

Ambient lighting

PACKAGING CONTENTS

1 unit

ETIM CLASS

EC001744

TECHNICAL INFORMATION

FREQUENCY

50 - 60 Hz

DRIVER INCLUDED

Yes

LUMENS/W

950 lm/15W

IP RATING

IP44

ELECTRICAL CLASS

Type 2

OPTICS

Wide Flood

OPERATING TEMPERATURE RANGE (°C)

40 °C maximum

INTEGRATED POWER SUPPLY

No

PHOTOBIOLOGICAL CLASSIFICATION

Exempt category

POWER SUPPLY (V~)

100/240 V~

L70 (°C)

30,000 h at 25 °C

POWER (W)

15 W

COLOR TEMPERATURE (K)

3900 K

COLOR TYPE

NW

POWER SUPPLY DIMENSIONS (MM)

45x141x26 mm

CONTROL

On/Off

LIGHTING EFFICIENCY (LM/W)

64 lm/W

SERVICE LIFE

30.000 h

CRI

80

LUMENS (LM)

950 lm

CHROMATICS CRI ICONS

CRI
80

INSTALLATION AND MAINTENANCE

MINIMUM INSTALLATION HEIGHT

180

INSTALLATION TYPE

Flush mount

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

WARRANTY

3 years 30,000 h

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.524

PRODUCT NET WEIGHT

0.524

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053122167

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

135

PACKAGING WIDTH

145

PACKAGING LENGTH

155

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

3.034

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.524

PACKAGING NET WEIGHT

0.524

PACKAGING WEIGHT UNIT

KGM