

Upper trim for mini columns with 4 sides grey Simon K45

REF. RALK012/8



BASIC INFORMATION

DESCRIPTION

The Simon K45 range, we present this trim for mini columns of four faces. Envisaged as a replacement part is available in versions of a side, 2 sides (square and oval) and 4-sided. Designed with dimensions of 125 x 125 x 10 mm and manufactured in thermoplastic materials of high resistance to the fire propagation, preventing them and low toxicity in case of smoke thanks to does not contain halogens, in its composition. It is a high spare to replace in case of lost, and are supplied in grey colour, facilitating the implementation in any design, both professional environments such as in the home. Like all the spare parts of the brand Simon is a product of quality thanks to use only the best materials in all its components. It is very easy to install and maintain convirtiéndolos in the products most valued and highly recommended by professionals.

FINISH

Grey

PACKAGING CONTENTS

Upper trim and fastening screws

MATERIAL

Plastic

ETIM CLASS

EC002980

REMARKS

Product envisaged as a replacement part, in the event of loss or substitution. It is supplied injected in grey plastic.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

1-sided, 2-sided (square and oval) and 4-sided

DIELECTRIC STRENGTH

Without perforation or contournement with 2000 V at 50H during 1 minute

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

EARTHING RESISTANCE

< 0.05 ?

HEAT RESISTANCE (°C)

+125°C (according rule IEC 60695-10-2)

INSULATION RESISTANCE (V-MΩ)

5 MOhms at 500 V.

IP RATING

IP4X

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-25 a 120° C

RAL

7035

VERSION

4-sided

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING

Using supplied screws

INSTALLATION DIRECTION

Horizontal

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + EN 50085-2-4:2009

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436056534

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.048

PRODUCT NET WEIGHT

0.048

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8426436056534

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

20

PACKAGING WIDTH

220

PACKAGING LENGTH

150

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

0.66

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.048

PACKAGING WEIGHT UNIT

KGM