


Simon iO thermostat, aluminium Simon 270

REF. 21000811-093



BASIC INFORMATION

DESCRIPTION

- Normally open contact
- Operating mode: Cool or Heat
- Weekly programming
- Remote control
- Integration with voice assistants

FINISH

Matt aluminium

MATERIAL

Thermoplastic

ETIM CLASS

EC003263

SYMBOL

On-off, "+/-", A/M

COMPATIBILITY

Simon 270 frames

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

CURRENT (A)

10 A

POWER SUPPLY (V~)

230 V~

FORMAT

Clima

IP RATING

IP20

RAL

9006

FREQUENCY

50 - 60 Hz

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

VOLTAGE (V~)

127/230 V~

INDICATOR FUNCTION

Yes

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

10

INSTALLATION DIRECTION

Horizontal, Vertical

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED | EN 50665:2017 | EN 55032:2015 | EN 55032:2015 A11:2020 | EN 55035:2017 | EN 55035:2017 A11:2020 | EN 60730-2-9:2019 | EN 60730-2-9:2019 A1:2019 | EN IEC 61000-3-2:2019 | EN IEC 61000-3-2:2019 A1:2021 | EN 61000-3-3:2013 | EN IEC 63000:2018 | ETSI EN 300328 V2.2.2 | ETSI EN 301489-1 V2.2.3 | ETSI EN 301489-17 V3.2.4

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053297100

UNITARY PACKAGING WEIGHT
UNIT

KGM

PACKAGING MEASUREMENT
UNIT

MMT

UNITARY PACKAGING HEIGHT

0

PACKAGING EAN

8421053297100

PACKAGING VOLUME

258925.66

UNITARY PACKAGING WIDTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

PACKAGING HEIGHT

82

PACKAGING GROSS WEIGHT

0.185

UNITARY PACKAGING VOLUME

0

PACKAGING WIDTH

57.1

PACKAGING NET WEIGHT

0.121

UNITARY PACKAGING GROSS
WEIGHT

0.121

PACKAGING LENGTH


55.3

PACKAGING WEIGHT UNIT

KGM

PRODUCT NET WEIGHT

0.121



Para información más detallada consultar la hoja de instrucciones
For more detailed information check the instruction sheet