

Set of 2 push-buttons switches for blinds 10A 250V~ without interlocking gloss white Simon 270

REF. 20000396-090

BASIC INFORMATION

DESCRIPTION

The Simon 270 double push-button for blinds in gloss white stands out for its elegant and functional design. With 10A current and 250V~ voltage, it features two inputs and two outputs and a non-interlocking system with quick connection terminals. Suitable for flush or surface mounting, it includes up/down engraved markings and momentary operation, ideal for frequent use. Made from metallic components with halogen-free insulation, it ensures safety and durability. Its glossy finish brings a modern style to offices, schools, or hospitals.

FINISH

Gloss white

MATERIAL

Thermoplastic

ETIM CLASS

EC000044

SYMBOL

Arrow

COMPATIBILITY

Frames and supports Simon 270

REMARKS

Mechanism with no latching. Requires control device.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

230 V~

INDICATOR FUNCTION

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

9003

CURRENT (A)

10 A

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

15

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Fast

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053405727

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.06

PRODUCT NET WEIGHT

0.055

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053405734

UNITS CONTAINED PACKAGING

5

PACKAGING HEIGHT

55

PACKAGING WIDTH

57

PACKAGING LENGTH

283

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

887205

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0.32

PACKAGING NET WEIGHT

0.275

PACKAGING WEIGHT UNIT

KGM

