

Downward flat angle accessory for Cablomax trunking 170x55mm PVC

REF. TKA021213/9



BASIC INFORMATION

DESCRIPTION

Cablomax aluminum channel accessory 170x55 mm. Adapts the channel to downward turns of 90° in the same plane. Made with high-quality thermoplastic materials and finished in white for proper integration with the channel.

FINISH

White

MATERIAL

PVC

ETIM CLASS

EC000876

REMARKS

The product installation can be supplemented with related accessories, as well as combined with K45 functions.

TECHNICAL INFORMATION

IK CLASSIFICATION

07

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

IP RATING

IP4X

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS

Only with tool

REMOVAL OF THE FRAME

Only with tool

REMOVAL OF COVER

Only with tool

INSTALLATION TYPE

On Wall and Ceiling

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436033689

PRODUCT NET WEIGHT

1.107

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

7483280

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436033689

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

1.11

UNITARY PACKAGING VOLUME

7483280

PACKAGING HEIGHT

98

PACKAGING NET WEIGHT

1.107

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

230

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

1.107

PACKAGING LENGTH

332