Trim plate for 1 quick connection connector with 3 poles male or female for 1 element white Simon K45

REF. **K121/9**



BASIC INFORMATION

DESCRIPTION

Did you know that the Simon K45 series is the perfect for solutions in workplace solutions? Thanks to the wide range of products that Simon offers us you'll get the best results for your connections, the type that are: Electrical, voice, data or multimedia. And always in the most comfortable way and safe. As this trim plate of an element, it is designed for quick connections, so that it has a male or female 3-pole connector. It has excellent finished in white and is made of halogen-free thermoplastic, avoiding the no flame spread in case of fire and the low toxicity in case of smoke fires. This plate does not include the connector, but in case of that use another brand, it is compatible with the leading manufacturers. For a correct fastening, it is recommended that the clips must thickness between 1.5 and 2 mm Sus dimensions are 45x22,5 and a depth of 8 mm.

FINISH

White

MATERIAL

Plastic

COMPATIBILITY

Simon K45 enclosures for installation in the wall, floor, ceiling and furniture and Simon 500 Cima enclosures (need to be combined with the K45 to 500 Cima adaptor ref.50012088-030)

PACKAGING CONTENTS

Plate for one 3-pole quick connection connector

ETIM CLASS

EC000011

REMARKS

Connector not included (to be purchased separately). If using another quick connect brand, the plate is compatible with the leading manufacturers (Wieland®, Wago®, etc). To fix the connector to the plate correctly, the clips must be between 1.5 and 2 mm thick.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

AVAILABLE IN
Version with 1 male or female 3-pole connector

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60° C

FORMAT
GST18

INDICATOR FUNCTION
No

IP RATING
IP20

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60° C

NUMBER OF MODULES
Four

RAL
9003

VERSION
Single

INSTALLATION AND MAINTENANCE

TYPE OF FASTENING
Fixing by direct snap-fit, no tools needed

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, specific Simon K45 and specific Simon 500 Cima using adaptor (ref.50012088-030)

INSTALLATION DIRECTION
Vertical according to the direction of the mechanisms

INSTALLATION TYPE
Suitable for surface and flush mounting

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2014/35/UE LVD + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60535:2009 A1:2013

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
27216

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.004

PRODUCT NET WEIGHT
0.004

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436043787

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
72

PACKAGING WIDTH
72

PACKAGING LENGTH
105

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
544320

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.08

PACKAGING NET WEIGHT
0.08

PACKAGING WEIGHT UNIT
KGM