

Thermostable frame for 2 elements ivory Simon 31

REF. 31621-31



BASIC INFORMATION

DESCRIPTION

The ivory finish of this frame of the Simon 31 series combines softness of the lines of a simple design, with the elegance of colour. Composed of two elements, the design can contain up to four. It measures 157x87mm. To complete the design, it is recommended to use the rockers and covers in the ivory finish. For its installation you can opt for the installation in vertical and horizontal, showing itself to the adaptability model. The manufacturing material is thermo-stable plastic that has a great resistance to the heat. For your care, it is necessary to use a soft cloth slightly moistened with soapy water.

FINISH

Ivory

COMPATIBILITY

Simon 31 and Simon 75 mechanisms

PACKAGING CONTENTS

Frame with 2 elements

MATERIAL

Plastic

ETIM CLASS

EC000007

REMARKS

It is recommended to use the ivory finish for rockers and covers.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

1, 2, 3 and 4 elements

IP RATING

IP21

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

OPERATING TEMPERATURE RANGE (°C)

19 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

2 elements

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for flush mounting

REGULATIONS

REGULATIONS

UNE-EN 60669-1:2002 + A1:2003 + A2:2009 + UNE 20315-1-1:2009

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053046517

PACKAGING VOLUME
3685500

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
91

PACKAGING GROSS WEIGHT
0.56

UNITARY PACKAGING GROSS
WEIGHT
0.056

PACKAGING WIDTH
180

PACKAGING NET WEIGHT
0.56

PRODUCT NET WEIGHT
0.056

PACKAGING LENGTH
225

PACKAGING WEIGHT UNIT
KGM