

**Flat voice and data plate without dust cover for 1 RJ45
R&M® (Reichle de Massari®) for 1 element aluminium
Simon 500 Cima**

REF. 50020185-033



BASIC INFORMATION

DESCRIPTION

In our catalogue is this plate of voice and data flat plate, of the Simon 500 Cima series, without dust shutter and suitable for an RJ45 connector from R & M (Reichle de Massari), the plate is an element and has an aluminium finish, this is the individual version with a module. These plates are available for one or two RJ45 connectors. The manufacturing lawyer by halogen-free thermoplastic material, to minimize the risk of fire. It should be noted that this type of materials bear up high temperatures. In this way is achieved to avoid the toxicity in case of smoke. The Simon 500 Cima series commitment products of the highest quality and with modern and modern designs, to be able to be installed in different spaces. This plate has dimensions of 50 x50 x 11 millimetres and includes the clips necessary to be able to install it in all kinds of enclosures, both vertical and horizontal in terms of maintenance, simply have to clean it with a soft cloth without dampening it.

FINISH

Aluminium

PACKAGING CONTENTS

Flat voice and data plate without
dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

AVAILABLE IN

Plate for 1 RJ45

COMPATIBLE WITH CONNECTORS

Classic series Cat5e (R925371, R925370), Star Cat6 series (R302373, R302372) and Advanced Cat6A series (R509500, R509504) from R&M® (Reichle de Massari®).

RJ45 CONNECTORS

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

DUST PROTECTION

No

DUST SHUTTER

No

FORMAT

RJ45

IP RATING

IP20

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

PLATE TYPE

Flat

RJ45 ADAPTOR MODULE

Included in voice and data plate

SNAP-FIT RJ45 PLATES

RJ45 R&M® connectors

SNAP-FIT TYPE

RJ45 R&M® connectors

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053097212

PACKAGING VOLUME

0.604

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

10

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

54

PACKAGING GROSS WEIGHT

0

UNITARY PACKAGING GROSS WEIGHT

0.02

PACKAGING WIDTH

52

PACKAGING NET WEIGHT

0.2

PRODUCT NET WEIGHT

0.02

PACKAGING LENGTH

215

PACKAGING WEIGHT UNIT

KGM

