RJ11 telephone socket half element with 4 contacts white Simon 27 Play

REF. **27480-34**



BASIC INFORMATION

DESCRIPTION

Colour narrow white telephone socket with 4 RJ11 pins. Its dimensions are 22.5x45 mm and the applicable legal framework is TIA 568 C. 2. At the time of cleaning and maintenance, it is recommended to use a soft cloth slightly moistened in soapy water, it is important to avoid the use of abrasive cleaners that abrasive (or chlorine-containing). As far as its installation is concerned, the terminal connection carried out by means of a screw system. It is suitable to be recessed and for installation in surface-mounted. It is important to take into account the maximum and minimum temperature that the part can withstand. In this line, it is worth noting that the operating range is 5 to 40º C, while the storage range is -25 to 50º C. The Simon 27 Play series allows us to play as children changing the look of the components. A revolutionary concept that allows you to take the initiative in redecorating our own spaces.

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Telephone socket with 4 RJ11 pins

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

CABLE SECTION ADMITTED (MM)
From 0,3 to 0,5 mm

NUMBER OF CONNECTORS
1

CONNECTOR TYPE
RJ11

NUMBER OF CONTACTS
4

NUMBER OF POSSIBLE ELEMENTS
Half element

FORMAT
RJ

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM
Insertion

OPERATING TEMPERATURE RANGE (°C)
5 - 40 °C

VERSION
Single

NUMBER OF WIRES
2

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)
12

CLAW
Simon 27

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Universal, American, Small spaces and Centralisations

INSTALLATION TYPE
Suitable for surface and flush mounting

TYPE OF TERMINAL CONNECTION - FUNCTION 1
Screw

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE
8421053252222

UNITARY PACKAGING HEIGHT
27

UNITARY PACKAGING WIDTH
45.7

UNITARY PACKAGING LENGTH
45.7

UNITARY PACKAGING MEASUREMENT UNIT
MMT

UNITARY PACKAGING VOLUME
0.056

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.017

PRODUCT NET WEIGHT
0.012

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053026953

UNITS CONTAINED PACKAGING
20

PACKAGING HEIGHT
53

PACKAGING WIDTH
160

PACKAGING LENGTH
220

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
1.866


PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0.338

PACKAGING NET WEIGHT
0.24

PACKAGING WEIGHT UNIT
KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO







DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos