

Inspection cover for 4 double modules for installation on pavement or technical floor gray Simon Cima

REF. S400/1



BASIC INFORMATION

FINISH

Grey

MATERIAL

Various

COMPATIBILITY

With plastic and metallic boxes of 4 double elements Simon Cima when installed on floor pavement.

ETIM CLASS

EC001903

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)

+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION

08

KIT AVAILABILITY

No

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL

7011

RECESS DIMENSION (MM)

170 x 265 mm

INSTALLATION AND MAINTENANCE

NUMBER OF COVER OPENING POSITIONS

2

EXTINGUISHING (°C)

+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

CAN BE INSTALLED IN TRAY

Plástica y metálica

LOGISTICS INFORMATION

UNITARY EAN CODE

8426436015784

PRODUCT NET WEIGHT

1.205

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

3933900

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8426436015784

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

1.205

UNITARY PACKAGING VOLUME

3933900

PACKAGING HEIGHT

75

PACKAGING NET WEIGHT

1.205

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

186

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

1.205

PACKAGING LENGTH

282