Inspection cover for 4 double modules for installation on pavement or technical floor graphite Simon Cima

REF. **S400/14**



BASIC INFORMATION

FINISH
Graphite

MATERIAL
Various

COMPATIBILITY
With plastic and metallic buckets of 4 double elements Simon Cima when installed on pavement floor.

ETIM CLASS
EC001903

TECHNICAL INFORMATION

HEAT RESISTANCE (ºC)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
08

KIT AVAILABILITY
No

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

RAL
7021

RECESS DIMENSION (MM)
170 x 265 mm

INSTALLATION AND MAINTENANCE

NUMBER OF COVER OPENING POSITIONS
2

EXTINGUISHING (ºC)
+850 ºC / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)

CAN BE INSTALLED IN TRAY
Plástica y metálica

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436020559

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
1.19

PRODUCT NET WEIGHT
1.19

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436020559

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
75

PACKAGING WIDTH
186

PACKAGING LENGTH
282

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3933900

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
1.19

PACKAGING NET WEIGHT
1.19

PACKAGING WEIGHT UNIT
KGM