


Front kit for 1 element with Simon iO master rocker and Simon iO master rocker for blinds matt black Simon 100

REF. 10020117-238



BASIC INFORMATION

DESCRIPTION

Front kit for 1 element with master key Simon iO for blinds made in beautiful black colour and matte finish. It is a product of the 100 series of Simon and is compatible with the rest of the mechanisms of this series.

It consists of dimensions of 85.5x83.5mm and its voltage is 250V. It has no claw. The type of activation of this product is by means of a push-button, with the same being a standard version suitable for commercialisation throughout the EC. The type of emborning is screw-based.

Its sense of installation can be both vertical and horizontal.

Maintenance is simple, just use a soft cloth slightly dampened with soapy water, without using cleaners that compromise the surface of the product, such as those containing chlorine.

The temperature range for proper operation varies between 5° C and 40° C and the temperature range for storage ranges from -25° C and 50° C. It complies with the following directives: 2014/35/UE LVD + directive 2014/30/UE EMC + directive 2011/65/EU RoHS + EN 50581: 2012 + EN 60669-2-1: 2004 + EN 60669-2-1: 2004 A1: 2009 + EN 60669-2-1: 2004 A12: 2010.

FINISH

Matt black

PACKAGING CONTENTS

Mechanism and instructions

ETIM CLASS

EC000007

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

NUMBER OF POSSIBLE ELEMENTS

1 element

INDICATOR FUNCTION

Yes

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TYPE OF MECHANISM

Push button rocker switch/Insertion

MONOBLOCK

No

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

VERSION

1 element

VOLTAGE (V~)

250 V~

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal

INSTALLATION DIRECTION

Horizontal, Vertical

KIT INSTALLATION DIRECTION

Vertical and horizontal

TYPE OF TERMINAL CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD + Directive 2014/30/UE EMC + Directive 2011/65/UE RoHS + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053213315

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING LENGTH

0

UNITARY PACKAGING VOLUME

0

UNITARY PACKAGING GROSS WEIGHT

0.064

PRODUCT NET WEIGHT

0.064

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053213315

UNITS CONTAINED PACKAGING

1

PACKAGING HEIGHT

10

PACKAGING WIDTH

84

PACKAGING LENGTH

84

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

70560

PACKAGING VOLUME UNIT

MMQ

PACKAGING GROSS WEIGHT

0

PACKAGING NET WEIGHT

0.064

PACKAGING WEIGHT UNIT

KGM