Flat voice and data plate without dust cover for 1 RJ45 Nexans® for 1 element aluminium Simon 500 Cima

REF. **50018185-033**



BASIC INFORMATION

DESCRIPTION

For those who need the best solution to integrate the maximum of elements in any type of space, Simon presents the series 500 Cima range, the most complete workplace solutions systems on the market. It has mechanisms and solutions for any surface-mounted and is ideal for refurbishments complex, where the space and the design are key. As this plate for voice and data connections. With flat shape is integrated into any ambience, not with dust shutter and is an element for RJ45 connector Nexans ®. Its finish is in aluminium and can be set to wrappers without the need of adapter, thanks to the clips that has embedded. The collection Simon 500 Cima has kits preconfigured and wired, ready to position, place, with a wide variety of combinations for all environments. Also you will save nearly 50% at the time of its installation, thanks to its new click terminal connection, without doubt, the decision more sabia for your environment.

FINISH

Aluminium

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET
CE

COMPATIBLE WITH CONNECTORS
Nexans® LANmark®-5 EVO, LANmark®-6 EVO.

RJ45 CONNECTORS
Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)
+60 °C

DUST PROTECTION
No

FORMAT
RJ45

IP RATING
IP20

MAINTENANCE
Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)
-5 to 60 °C

NUMBER OF MODULES
1

PLATE TYPE
Flat

RJ45 ADAPTOR MODULE
Included in voice and data plate

SNAP-FIT RJ45 PLATES
RJ45 Nexans® connectors

SNAP-FIT TYPE
RJ45 Nexans® connectors

VERSION
Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX
Specific Simon 500 Cima

INSTALLATION DIRECTION
Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE
Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE
Only with tool

REGULATIONS

REGULATIONS
Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0

UNITARY PACKAGING GROSS WEIGHT
0.03

PRODUCT NET WEIGHT
0.03

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8421053097045

UNITS CONTAINED PACKAGING
10

PACKAGING HEIGHT
54

PACKAGING WIDTH
52

PACKAGING LENGTH
215

PACKAGING MEASUREMENT UNIT
MMT


PACKAGING VOLUME
0.604

PACKAGING VOLUME UNIT
DMQ

PACKAGING GROSS WEIGHT
0

PACKAGING NET WEIGHT
0.3

PACKAGING WEIGHT UNIT
KGM


50
50
5
11