

Single rocker with viewer aluminium Simon 44 Aqua

REF. 4400010-033



BASIC INFORMATION

DESCRIPTION

Individual rocker with viewer, finished in aluminium colour of the series and Simon 44 Aqua. It can be installed in rooms with a temperature located between 5 and 40°C, approximately, although it is also capable of withstanding extreme temperatures of -25 to 50°C. This rocker is made of thermoplastic, a material that is easy to clean, as you will only have to use a soft cloth slightly moistened in soapy water and never use or abrasive cleaners or cloths containing chlorine. The series Simon 44 Aqua is designed to operate in harsh environments with water, dust and outdoor areas. This series has covers in 4 different finishes (grey, red, green pistachio aluminium) and are ideal for installation in swimming pools, kitchens, gardens, lofts, terraces, washrooms, industrial and sports facilities. Its protection against dust means that is ready to withstand the accumulation of dirt and dust protection in the ambience while the protection against water make it is prepared to withstand humidity and the inclemency of the weather.

FINISH

Aluminium

COMPATIBILITY

Simon 44 Aqua frames with rocker

PACKAGING CONTENTS

Single rocker

MATERIAL

Plastic

ETIM CLASS

EC000011

REMARKS

Available in 3 finishes. This article includes only the trim rocker. It is necessary to replace it with the referenced rockers with frame and rocker included.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP55

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

Yes

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2011/65/UE RoHS + post. mod. | EN 60669-1:2018*1 | IEC 60884-1 Ed. 3.2*2 | UNE 20315-1-1:2017*2 | UNE 20315-1-2:2017*2 | EN IEC 60670-1:2021 + A11:2021*3 | EN IEC 63000:2018

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053254219

UNITARY PACKAGING GROSS WEIGHT

0.017

PACKAGING LENGTH

76

UNITARY PACKAGING HEIGHT

0

PRODUCT NET WEIGHT

0.017

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

0.329

UNITARY PACKAGING LENGTH

0

PACKAGING EAN

8421053070635

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITS CONTAINED PACKAGING

5

PACKAGING GROSS WEIGHT

0.085

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

57

PACKAGING NET WEIGHT

0.085

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

76

PACKAGING WEIGHT UNIT

KGM