

Flat voice and data plate without dust cover for 1 RJ45 Infra+® for 1 element white Simon 500 Cima

REF. 50015185-030



BASIC INFORMATION

DESCRIPTION

Flat base plate of voice and data white in colour, the article consists of 1 element to fit 1 RJ45 connector Infra + ®. Do not with dust shutter and is part of the Simon 500 Cima series. It is an article whose dimensions are 50x50x11 mm and is manufactured in thermoplastic, halogen-free. This material is 100% safe in case of fire, as it avoids the fire is extend and also guarantees the low toxicity in the event of smoke. As far as its installation is concerned, the plate includes clips for its correct fastening in vertical and horizontal enclosures without the need of adapter. The adapter module is included in this plate of voice and data, but not RJ45 connectors. For maintenance, it is enough to give light passages to the piece with a soft, dry cloth is recommended not to use abrasive cleaners containing chlorine.

FINISH

White

PACKAGING CONTENTS

Flat voice and data plate without dust cover

ETIM CLASS

EC000018

COMPATIBILITY

Simon 500 Cima enclosures

REMARKS

The plate is snap-fitted for mounting in vertical and horizontal enclosures without the need for an adaptor.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

COMPATIBLE WITH CONNECTORS

Infra+® RJ45 connectors.

RJ45 CONNECTORS

Not included in voice and data plate

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60 °C

DUST PROTECTION

No

FORMAT

RJ45

IP RATING

IP20

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60 °C

NUMBER OF MODULES

1

PLATE TYPE

Flat

RAL

9003

RJ45 ADAPTOR MODULE

Included in voice and data plate

SNAP-FIT RJ45 PLATES

Infra+® RJ45 connectors

SNAP-FIT TYPE

Infra+® RJ45 connectors

VERSION

Single

INSTALLATION AND MAINTENANCE

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Specific Simon 500 Cima

INSTALLATION DIRECTION

Vertical, corresponding with the direction of the mechanisms

INSTALLATION TYPE

Fixing by direct snap-fit, no tools needed.

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

UNE-EN 60.670-1:2006

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053096840

PACKAGING VOLUME
0.604

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
DMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
54

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.026

PACKAGING WIDTH
52

PACKAGING NET WEIGHT
0.26

PRODUCT NET WEIGHT
0.026

PACKAGING LENGTH
215

PACKAGING WEIGHT UNIT
KGM

