

Simon SM34 Wall Charging Point with T2 Socket Three-Phase 22 kW + MID Meter

REF. 0650221-000



BASIC INFORMATION

FINISH

Graphite

APPLICATION

Residential

ETIM CLASS

EC002883

MATERIAL

ABS Plastic

OPERATING ENVIRONMENT

Residential

TECHNICAL INFORMATION

CONNECTOR TYPE

Type 2 Socket

IK CLASSIFICATION

10

TYPE OF LINE

Three-phase

ELECTRICITY METER

Yes

CURRENT (A)

32 A

MODE 3 STATUS INDICATOR

Yes

FREQUENCY

50 Hz

IP RATING

IP54

NUMBER OF OUTLETS

1

REGULATIONS

REGULATIONS

Dir. 2014/35/UE LVD | Dir. 2014/30/UE EMC | Dir. 2011/65/UE RoHS + post. mod. | Dir. 2014/53/UE RED*1 | EN IEC 61851-1:2019 | EN IEC 61851-21-2:2021 | EN 62196-2:2017 | EN 62311:2008 | EN IEC 63000:2018 | ETSI EN 300 328 v2.2.2*1

LOGISTICS INFORMATION

UNITARY EAN CODE 8421053302897	UNITARY PACKAGING WEIGHT UNIT KGM	PACKAGING MEASUREMENT UNIT MMT
UNITARY PACKAGING HEIGHT 0	PACKAGING EAN 8421053302897	PACKAGING VOLUME 11379555
UNITARY PACKAGING WIDTH 0	UNITS CONTAINED PACKAGING 1	PACKAGING VOLUME UNIT MMQ
UNITARY PACKAGING LENGTH 0	PACKAGING HEIGHT 165	PACKAGING GROSS WEIGHT 2.7
UNITARY PACKAGING VOLUME 0	PACKAGING WIDTH 237	PACKAGING NET WEIGHT 2.7
UNITARY PACKAGING GROSS WEIGHT 0	PACKAGING LENGTH 291	PACKAGING WEIGHT UNIT KGM
PRODUCT NET WEIGHT 2.7		