

Signal light for half element with E10 miniature screw white and red diffuser cover Simon 27 Play

REF. 27810-34



BASIC INFORMATION

DESCRIPTION

Luminous half-element signalling device with E-10 Mignonnette thread. The product is white in colour and also includes a red diffuser cover of colour, it belongs to the Simon 27 Play series and its installation is suitable for surface and to be recessed. The wire section admitted is from 1.5 mm to 2.5 mm and the stripping of the wire must be 12 mm. Have been used for its manufacture: Metal components with insulation, halogen-free and thermoplastic trim. The features of these materials allow a resistance that makes the product can withstand temperatures of 5°C to 40°C at full performance, has dimensions of 22.5x45 mm and the signaling device complies with the regulation EN 62094-1: 2003 + A11: 2003 + EN 50581: 2012. For cleaning, it is recommended to use a soft and dry cloth, it is essential not to use abrasive cloths and / or abrasive cleaners containing chlorine to not damage the material or that it may lose any of its features.

FINISH

White

COMPATIBILITY

Simon 27 Play, Simon 27 Neos, Simon 27 Scudo, Simon 27, Simon 27 Centralisations and Simon 44 Aqua frames

PACKAGING CONTENTS

Signal light

ETIM CLASS

EC000060

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP20

POWER SUPPLY (V~)

130/250 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE

(°C)

-25 - 50 °C

NUMBER OF POSSIBLE ELEMENTS

Half element

TYPE

Neon

INDICATOR FUNCTION

Yes

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

VERSION

Single

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

12

INSTALLABLE IN FLUSH MOUNT JUNCTION BOX

Universal, American, Small spaces and Centralisations

INSTALLATION TYPE

Suitable for surface and flush mounting

CLAW

Simon 27

TYPE OF TERMINAL

CONNECTION - FUNCTION 1

Screw

REGULATIONS

REGULATIONS

EN 62094-1:2003+A11:2003 + EN 50581:2012

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053253472

UNITARY PACKAGING HEIGHT

22.9

UNITARY PACKAGING WIDTH

38.9

UNITARY PACKAGING LENGTH

45.7

UNITARY PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING VOLUME

0.041

UNITARY PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING GROSS WEIGHT

0.034

PRODUCT NET WEIGHT

0.03

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING EAN

8421053011430

UNITS CONTAINED PACKAGING

20

PACKAGING HEIGHT

53

PACKAGING WIDTH

160

PACKAGING LENGTH

220

PACKAGING MEASUREMENT UNIT

MMT

PACKAGING VOLUME

1.866

PACKAGING VOLUME UNIT

DMQ

PACKAGING GROSS WEIGHT

0.685

PACKAGING NET WEIGHT

0.6

PACKAGING WEIGHT UNIT

KGM

VISTA FRONTAL E ISOMÉTRICA DEL PRODUCTO






DIAGRAMA DE MONTAJE



*Placa y chasis NO incluidos