


Flat base plate without dust cover for 2 RJ45 connectors with Keystone® I and II, Att® and Avaya® snap-fit black Simon 400

REF. 40000189-038



BASIC INFORMATION

FINISH

Black

ETIM CLASS

EC000018

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

MAX TEMP DURING CONSTRUCTION WORK (°C)

+60° C

DUST SHUTTER

No

FORMAT

RJ45

HEAT RESISTANCE (°C)

+70°C (according to standard IEC 60670)

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

TEMPERATURE RANGE DURING INSTALLATION (°C)

-5 to 60° C

PLATE TYPE

Flat

RAL

9005

RJ45 ADAPTOR MODULE

Included in the data plate

NUMBER OF RJ45 WINDOWS

2

SNAP-FIT RJ45 PLATES

Keystone I, II and Systimax

SNAP-FIT TYPE

Keystone I, II and Systimax

INSTALLATION AND MAINTENANCE

REMOVAL OF THE PLATE

Only with tool

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + post. mod. | EN IEC 63000:2018 | EN 50173-1:2018*1

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WEIGHT
UNIT
KGM

PACKAGING MEASUREMENT
UNIT
MMT

UNITARY PACKAGING WIDTH
0

PACKAGING EAN
8421053194898

PACKAGING VOLUME
911400

UNITARY PACKAGING LENGTH
0

UNITS CONTAINED PACKAGING
10

PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING VOLUME
0

PACKAGING HEIGHT
70

PACKAGING GROSS WEIGHT
0

UNITARY PACKAGING GROSS
WEIGHT
0.13

PACKAGING WIDTH
93

PACKAGING NET WEIGHT
1.3

PRODUCT NET WEIGHT
0.13

PACKAGING LENGTH
140

PACKAGING WEIGHT UNIT
KGM