Flush-mounted box for integrated installation CIMA Classic for 6 double outlets when installed in a drywall Simon CIMA

REF. **SM660**



BASIC INFORMATION

FINISH
Grey

MATERIAL
Plastic

COMPATIBILITY
With a trim and flush-mounted wall frame of 6 double elements Simon Cima Classic.

ETIM CLASS
EC002601

TECHNICAL INFORMATION

HEAT RESISTANCE (°C)
+125 °C (in accordance with standard IEC 60695-10-2)

IK CLASSIFICATION
08

KIT AVAILABILITY
No

RAL
7011

RECESS DIMENSION (MM)
146 x 355 mm

INSTALLATION AND MAINTENANCE

REMOVAL OF COMPONENTS
Only with tool

EXTINGUISHING (°C)
+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-10-2)

INSTALLATION DIRECTION
Horizontal, Vertical

LOGISTICS INFORMATION

UNITARY EAN CODE
8426436017900

UNITARY PACKAGING HEIGHT
0

UNITARY PACKAGING WIDTH
0

UNITARY PACKAGING LENGTH
0

UNITARY PACKAGING VOLUME
0.3

UNITARY PACKAGING VOLUME UNIT
MMQ

UNITARY PACKAGING GROSS WEIGHT
0.555

PRODUCT NET WEIGHT
0.555

UNITARY PACKAGING WEIGHT UNIT
KGM

PACKAGING EAN
8426436017900

UNITS CONTAINED PACKAGING
1

PACKAGING HEIGHT
63

PACKAGING WIDTH
150

PACKAGING LENGTH
380

PACKAGING MEASUREMENT UNIT
MMT

PACKAGING VOLUME
3591000

PACKAGING VOLUME UNIT
MMQ

PACKAGING GROSS WEIGHT
0.555

PACKAGING NET WEIGHT
0.555

PACKAGING WEIGHT UNIT
KGM