


Double rocker for switches graphite Simon 75

REF. 75026-38



BASIC INFORMATION

DESCRIPTION

The use of the double rocker for control mechanisms of the Simon 75 series is available in 6 finishes, it is recommended to choose a frame with the same baseboard colour as the selected rocker. The double rocker for control mechanisms is a double version, this model of rocker with viewfinder includes 1 element but does not include any module or the signaling function. The limit of the recommended temperature range is from 5°C to 40°C reaching maximum temperatures of -25 to 50°C. It is suitable for installations in surface mounting or flush mounting. The main manufacturing material is thermostable, with a plastic graphite finish. For the correct maintenance of the rocker, it is recommended to use a soft cloth slightly moistened in soapy water. The double rocker for control mechanisms does not include any type of engraving.

FINISH

Graphite

MATERIAL

Thermostable

PACKAGING CONTENTS

Double rocker and fastening bracket

SYMBOL

Without engravings

COMPATIBILITY

Simon 75 and Simon 77 mechanisms

ETIM CLASS

EC000011

REMARKS

Available in 6 finishes. It is recommended to choose a frame with a base the same colour as the selected rocker.

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

IP RATING

IP21

OPERATING TEMPERATURE RANGE (°C)

5 - 40 °C

NUMBER OF POSSIBLE ELEMENTS

1 element

MAINTENANCE

Clean with a soft, dry cloth. Do not use abrasive cloths or cleaning products that contain chlorine.

STORAGE TEMPERATURE RANGE (°C)

-25 - 50 °C

INDICATOR FUNCTION

No

VERSION

Double

INSTALLATION AND MAINTENANCE

INSTALLATION DIRECTION

Horizontal, Vertical

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2014/35/UE LVD

LOGISTICS INFORMATION

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053043981

PACKAGING VOLUME

3026595

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

20

PACKAGING VOLUME UNIT

MMQ

UNITARY PACKAGING VOLUME

0

PACKAGING HEIGHT

83

PACKAGING GROSS WEIGHT

0.555

UNITARY PACKAGING GROSS WEIGHT

0.028

PACKAGING WIDTH

165

PACKAGING NET WEIGHT

0.56

PRODUCT NET WEIGHT

0.028

PACKAGING LENGTH

221

PACKAGING WEIGHT UNIT

KGM