


RF receiver mechanism for blinds

REF. 75886-39



BASIC INFORMATION

DESCRIPTION

Technology is part of our day-to-day life in any of the functions we perform. The latest innovations have been incorporated into our way of communicating, our methods for carrying out a job or in the way we enjoy our leisure. The technology has also reached the mechanisms that make up the different elements of our homes and companies. For example in the new shutter systems, such as the radio frequency receiver mechanism for wireless shutters of the Simon 82 series, this device allows you to control blinds is individual and / or centralized command from one to fifteen emitting points and, most importantly, without the need of cabling. It also uses the latest technology (interface 868 Mhz) ensuring reliability, good operation and excellent reception level, without interference when passing the signal through the walls. All with the best value for money, a feature that is the hallmark of all products included in the wide range of Simon.

COMPATIBILITY

Simon 75, Simon 82 Detail, Simon 82 Nature and Simon 82 frames

PACKAGING CONTENTS

RF blinds receiver and instruction sheet

ETIM CLASS

EC000928

REMARKS

Allows individual or centralised control of blinds. Allows up to 15 transmitters 75888-39

TECHNICAL INFORMATION

AVAILABLE MARKET

CE

FREQUENCY

50 - 60 Hz

POWER SUPPLY (V~)

230 V~

CABLE SECTION ADMITTED (MM)

From 1,5 to 2,5 mm

IP RATING

IP20

RELAY OUTPUT CURRENT (A)

550 VA

NUMBER OF CONTACTS

4

LATCH TYPE

Electric

STORAGE TEMPERATURE RANGE (°C)

-10 - 70 °C

NUMBER OF CONTROLLABLE CIRCUITS

1

OPERATING TEMPERATURE RANGE (°C)

0 - 55 °C

NUMBER OF WIRES

4

INSTALLATION AND MAINTENANCE

CABLE STRIPPING NECESSARY (MM)

8

INSTALLATION TYPE

Suitable for surface and flush mounting

REGULATIONS

REGULATIONS

Directive 2011/65/UE RoHS + Directive 2014/53/UE RED + EN 50364:2010 + EN 50581:2012 + EN 60669-2-1:2004 + EN 60669-2-1:2004 A1:2009 + EN 60669-2-1:2004 A12:2010 + ETSI EN 300 330 V2.1.1. + ETSI EN 301 489-3 V2.1.1.

LOGISTICS INFORMATION

UNITARY EAN CODE

8421053069363

PRODUCT NET WEIGHT

0.085

PACKAGING MEASUREMENT UNIT

MMT

UNITARY PACKAGING HEIGHT

0

UNITARY PACKAGING WEIGHT UNIT

KGM

PACKAGING VOLUME

0.329

UNITARY PACKAGING WIDTH

0

PACKAGING EAN

8421053069363

PACKAGING VOLUME UNIT

DMQ

UNITARY PACKAGING LENGTH

0

UNITS CONTAINED PACKAGING

1

PACKAGING GROSS WEIGHT

0.085

UNITARY PACKAGING VOLUME

329232

PACKAGING HEIGHT

57

PACKAGING NET WEIGHT

0.085

UNITARY PACKAGING VOLUME UNIT

MMQ

PACKAGING WIDTH

76

PACKAGING WEIGHT UNIT

KGM

UNITARY PACKAGING GROSS WEIGHT

0.085

PACKAGING LENGTH

76